



TOP SIDE LOADER

Washer/Extractor



U.S.A.

ISO 9001:2015 Certified
(Quality Management System)

All Braun Products are Proudly
Manufactured in the U.S.A.

gabraun.com

TOP SIDE LOADER



Top Side Loader

STANDARD MODELS

The Braun Top Side Loader (TSL) is available in split two-pocket and three-pocket models, and capacities of 200, 400, 600 and 800 pounds. (The 600 lb. TSL is available in a three-pocket configuration only.) Single motor drive is currently standard on all 200, 400 and 600 lb. machines.

During loading the TSL rotates the cylinder door opening directly to the line of gravity. Items fall into the cylinder easily, allowing gravity to do the work. This also makes the Braun TSL ideal for overhead rail systems. The cylinder door can also position down to just 37 inches for easy hand loading. At the end of the wash cycle the TSL provides an obstruction-free, fast, gravity-assisted unload.



Medicare Models

The Medicare models provide the option for unloading at the back of the machine.

MEDICARE MODELS

Available in split two-pocket and three-pocket models, and capacities of 200, 400, 600 and 800 pounds. (The 600 lb. TSL is available in a three-pocket configuration only) Single motor drive is currently standard on all 200, 400, and 600 lb. machines.

Medicare TSL Washer/Extractors offer the same competitive advantages and function with the same key features as our standard models, including gravity assist unloading, Neutron suspension and touch screen controls.

CROSS CONTAMINATION PREVENTION

The clean room models are designed for laundries requiring a contamination-free, clean room environment. Soiled laundry loads from one side; clean laundry unloads from the other. An option available on Braun clean room machines is a full wall barrier and our patented Mediflow negative air-flow system. This system prevents cross-contamination of goods during the process.



BRAUN'S NEUTRON SUSPENSION

- Unsurpassed vibration dampening allows for installation without a foundation, even on upper floors that can hold the static weight of the machine!
- Isolates vibration from the workspace
- Optical balance monitoring system
- Promotes less wear on major end components for exceptional durability and machine longevity
- Provides for consistent wash performance
- No air bags to maintain



Optical Sensor

OPTICAL SENSOR

Optical sensors on Braun Top Side Loaders will instruct the machines to:

- Automatically shut down if the machine is out of balance.
- Automatically balance loads prior to moving into the extraction phase to evenly distribute wet goods against the cylinder.

TOUCH SCREEN CONTROLS

Standard on all Braun TSL machines, touch screen controls are simple, intuitive, and easy to use.

Operators can pre-program and time every cycle and water temperature and level to an exacting degree.



COMPETITIVE ADVANTAGES

Installation Flexibility

The Braun TSL is easy to install with multiple drain valve locations possible, and trench level monitoring allowing for use in marginal drain situations.

Automated Door

- The automated door on Braun TSL's is an exceptional ergonomic feature!
- Unlike other manufacturer's machines that have several doors, the single door on the Braun TSL ergonomically reduces the operator's repetitive motions resulting in a significant reduction of potential repetitive motion injuries.

Others

- Large cylinder
- Smaller footprint
- More efficient load and unload times
- Lower operational costs
- Proven durability

SPLIT PANEL CONTROL BOX

Standard on Braun Washer/Extractors, is an exceptional safety feature, which separates the high voltage from low voltage components.



CHEMICAL INTEGRATION

- Chemical Integration boxes are standard on all Braun Top Side Loaders Washer/Extractors
- This feature provides relay connections for chemical companies to tie into Braun machines without having to access the control box. This helps to avoid interference with the machine controls and any related machine downtime as a result of any potential interference.



TSL TOP SIDE LOADER

SPECIFICATIONS

For detailed equipment specifications please consult with your Braun Regional Sales Manager or contact us by email at equipmentspecifications@gabraun.com



ISO 9001:2015 CERTIFIED
(Quality Management System)

G.A. Braun, Inc.
79 General Irwin Boulevard
N. Syracuse, NY 13212

Mail to:
P.O. Box 3029
Syracuse, NY 13220-3029

Phone
1-800-432-7286

Fax
(315) 475-4130

Parts Help Desk
1-800-432-7286 X 1

Service Help Desk
1-800-432-7286 X 2



U.S.A.

All Braun Products are Proudly
Manufactured in the U.S.A.